

Infosafe No™ VAR7K	Issue Date :October 2024	ISSUED by HUNTERST
Product Name CAUSTIC SODA		

Section 1 - Identification

Product Identifier	CAUSTIC SODA
Company Name	Hunters Products (TAS) Pty. Ltd. (ABN 004 601 263)
Address	60 Gleadow Street INVERMAY TAS 7248 AUSTRALIA
Telephone/Fax Number	Tel: 03 6331 4755 Fax: 03 6334 1065
Emergency Phone Number	0417 744 144
Recommended use of the chemical and restrictions on use	As a caustic alkali. Read the label before opening or using.

Section 2 - Hazard(s) Identification

GHS Classification of the Substance/Mixture	Skin corrosion/irritation: Category 1A
Signal Word	DANGER
Hazard Statement (s)	H314 Causes severe skin burns and eye damage.
Pictogram (s)	Corrosion



Precautionary Statement – Prevention	P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash contaminated skin thoroughly after handling. P280(f) Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement – Response	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse. P405 Store locked up.
Precautionary Statement – Storage	
Precautionary Statement – Disposal	P501 Dispose of contents/container in accordance with local regulations.
Precautionary Statement – General	P102 Keep out of reach of children. P103 Read carefully and follow all instructions.

Section 3 - Composition and Information on Ingredients

Ingredients	Name	CAS	Proportion
	Sodium hydroxide	1310-73-2	100 %

Section 4 - First Aid Measures

Inhalation	Remove from exposure, rest and keep warm. Unless exposure has been slight, obtain medical attention.
Ingestion	If swallowed, do NOT induce vomiting. Give a glass of water to be taken slowly.
Skin	If skin contact occurs, remove contaminated clothing and wash skin thoroughly. Wash clothing before re-use.

Infosafe No™ VAR7K	Issue Date :October 2024	ISSUED by HUNTERST
Product Name CAUSTIC SODA		

Eye	If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.
First Aid Facilities	Eye wash. Hand wash basin. Emergency shower.
Advice to Doctor	Sodium hydroxide is highly corrosive. Vomiting has not been induced because of risk of aspiration into the lungs. If swallowed, may cause holes in stomach and intestines. Evacuation of stomach should not be attempted. Contact Poisons Information Centre.

Section 5 - Firefighting Measures

Suitable Extinguishing Media	Water fog or fine water spray.
Specific Methods	In case of small fire/explosion use water. In case of major emergency use PPE: breathing apparatus and protective gloves.
Specific Hazards Arising from the Chemical	Not flammable. Contact with aluminium, tin, zinc or galvanised iron may generate hydrogen, a flammable gas. Will react vigorously or violently with acids, generating much heat, and giving off carbon dioxide, a simple asphyxiant. Contact with ammonium compounds will generate ammonia, a poisonous gas.
Hazchem Code	2X

Section 6 - Accidental Release Measures

Spills & Disposal	Contain all spills. Collect and seal in properly labeled containers for disposal. Large spills should be contained with absorbent and removed to drums for disposal. Remove in accordance with local waste management authority.
Personal Protection	Wear protective clothing to prevent eye and skin contamination. Ensure an eye bath and safety shower is available. Operators are recommended to wear full protective clothing, glasses, gloves, apron etc. including footwear.
Environmental Precautions	Prevent spills from entering drains and waterways. Contact local emergency services if contamination of sewers or waterways occurs.

Section 7 - Handling and Storage

Precautions for Safe Handling	Handle according to good manufacturing and industrial hygiene practices. Do not drink, eat or smoke while handling. Respect good personal hygiene.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry, well ventilated place, out of reach of children. Large quantities should be stored in a dangerous goods store. Store in original container. Keep container tightly closed. Keep container dry. Keep away from acids, aluminium, tin, zinc and galvanised iron. Protect from physical damage. Clean up all spills promptly; avoid secondary accidents.
Unsuitable Materials	Store away from acids. Hydrogen gas is generated when undiluted material contacts aluminium, zinc or tin.

Section 8 - Exposure Controls and Personal Protection

Occupational Exposure Limit (OEL) Values	Name	STEL		TWA		Footnote
		mg/m3	ppm	mg/m3	ppm	
	Sodium hydroxide			2		Peak limitation
Engineering Controls	Do not use aluminium, tin, zinc or galvanised iron as materials of construction. Use in a well ventilated area. If ventilation is insufficient use a corrosive - resistant ventilation system separate from other exhaust systems. Engineering control methods to reduce hazards are preferred.					
Personal Protective Equipment	Avoid contact with skin and eyes. Avoid breathing dusts or aerosols. Personal protection to be selected from those recommended below, as appropriate to mode of use, quantity handled and degree of hazard:- Normal Use: Eye/face protection Gloves, rubber or plastic. Industrial Quantities:					

Infosafe No™ VAR7K	Issue Date :October 2024	ISSUED by HUNTERST
--------------------	--------------------------	--------------------

Product Name **CAUSTIC SODA**

Positive pressure air hood
Face shield or safety glasses
Gloves, rubber or plastic
Plastic apron, sleeves and boots
Impervious overalls.
Always maintain a high level of personal hygiene when using cleaning chemicals. That is wash hands before eating, drinking, smoking or using the toilet.

Section 9 - Physical and Chemical Properties

Form	Solid
Appearance	White pellets, flakes or prills.
Odour	Odourless.
Melting Point	324 °C
Solubility in Water	Soluble in water with generation of heat.
Specific Gravity	2.1
pH	pH 1% solution: 12.5-13.5
Vapour Pressure	None
Flash Point	None.
Flammability	Not flammable. Contact with aluminium, tin, zinc or galvanised iron may generate hydrogen, a flammable gas.
Other Information	Highly alkaline, will react violently with acids. Hygroscopic, will absorb moisture from the air. Will absorb carbon dioxide from the air, forming a coating of sodium carbonate. Will get hot when dissolved in water and may boil. Always add this material to water, never add water to this material. May boil explosively if added to hot water. Contact with active metals (such as aluminium, tin, zinc) may generate hydrogen, a flammable gas. Contact with ammonium compounds may generate ammonia, a toxic gas. May form shock-sensitive products with organic nitro compounds. May react vigorously, violently, catch fire or cause explosions with a wide variety of chemicals. Will attack wood and paper products, and glass on prolonged contact. May react with sugars to generate carbon monoxide, a toxic, odourless gas.

Section 10 - Stability and Reactivity

Chemical Stability	Caution-Heat will be evolved upon contact with acids.
Possibility of Hazardous Reactions	Will react violently with acids. May boil explosively if added to hot water. May form shock-sensitive products with organic nitro compounds. May react violently with organic halides. Contact with sugars may generate carbon monoxide.
Conditions to Avoid	Incompatible materials, exposure to moisture or air.
Incompatible Materials	Oxidising agents, acids, acidic materials, ammonium compounds, nitro compounds, organic halides, active metals, wood, paper, glass.
Hazardous Decomposition Products	Sodium oxide fume.

Section 11 - Toxicological Information

Acute Toxicity - Oral	LD50 Oral Mouse: 40 mg/kg Oral Rat: 140-340 mg/kg
Ingestion	May be fatal. Causes very serious damage to the mucous membranes and any other tissues it comes into contact with. May cause swelling of the larynx and subsequent suffocation. May cause burns in the mouth and throat, nausea, vomiting, abdominal pains and diarrhoea (occasionally bloody), fall in blood pressure, heart failure, coma and death. May cause perforation of the stomach and intestines, and the sites of subsequent scarring have been associated with the later development of stomach cancer. Internal damage may not be apparent

Infosafe No™ VAR7K	Issue Date :October 2024	ISSUED by HUNTERST
Product Name CAUSTIC SODA		

Inhalation	until days after exposure, but may still prove fatal. Inhalation of dusts or concentrated mists may cause damage to the upper respiratory tract and lungs. Symptoms may range from a mild irritation of the mucous membranes, cough, a burning sensation, laboured breathing, sneezing, sore throat, a runny nose, to severe pneumonitis (irritation and inflammation of lung tissues). Inhalation may also cause pulmonary oedema (fluid build-up in the lungs), with the potential to become a medical emergency. Onset of symptoms may be delayed for several hours.
Skin	Causes severe, deep burns. Exposure to dusts or mists may cause small burns, redness and a rash.
Eye	Corrosive to eyes. Contact with the eyes rapidly causes severe damage to the tissues. May cause redness, pain, blurred vision. May cause severe, deep burns and permanent impairment to, or total loss of, sight.
Chronic Effects	Prolonged or repeated contact with skin may result in dermatitis. Prolonged or repeated contact with dusts may cause respiratory disorders.

Section 12 - Ecological Information

Ecotoxicity	Toxic to aquatic organisms.
Mobility	Readily transported by water.
Environmental Protection	Avoid contaminating waterways, drains, sewers, or ground.

Section 13 - Disposal Considerations

Waste Disposal	Remove for disposal in accordance with local waste management regulations.
Container Disposal and Methods	Do not use aluminium, tin, zinc or galvanised iron containers.
Special Precautions for Incineration or Landfill	Unsuitable for incineration.

Section 14 - Transport Information

Transport Information	Classified as a Class 8 Dangerous Good. Dangerous Goods of Class 8 Corrosives are incompatible in a placard load with any of the following: - Class 1, Class 4.3, Class 5, Class 6, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids and Class 7. Store away from acids.
ADG UN Number	1823
ADG Proper Shipping Name	SODIUM HYDROXIDE, SOLID
ADG Transport Hazard Class	8
ADG Packing Group	II
Hazchem Code	2X
EPG Number	8A1
IERG Number	37

Section 15 - Regulatory Information

Poisons Schedule	S6
Australia (AICS/AHC)	All components listed.

Section 16 - Any Other Relevant Information

Date of Preparation	26/10/2024
----------------------------	------------

Infosafe No™ VAR7K	Issue Date :October 2024	ISSUED by HUNTERST
--------------------	--------------------------	--------------------

Product Name **CAUSTIC SODA**

Literature References	Preparation of Safety Data Sheets for hazardous Chemicals Code of Practice Standard for the Uniform Scheduling of Medicines and Poisons Australian Code for the Transport of Dangerous Goods by Road & Rail Globally Harmonised System of classification and labelling of chemicals GHS7
Signature of Preparer/Data Service	Technical Manager 0417 744 144
Technical Contact Numbers	Emergency Advice All Hours: Technical Manager: 0417 744 144 Mon-Fri 8am - 6pm Poisons Information Centre: 13 11 26 - 24hrs Transport/Fire Emergency: 000 (Emergency services)
Other Information	This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this SDS carefully, and if in doubt ring the Contact Point Number given below. ...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.