

Infosafe No™ VAR5C	Issue Date :October 2024	ISSUED by HUNTERST
Product Name DEODORANT BUTTONS		

Section 1 - Identification

Product Identifier	DEODORANT BUTTONS
Company Name	Hunters Products (TAS) Pty. Ltd. (ABN 004 601 263)
Address	60 Gleadow Street INVERMAY TAS 7248 AUSTRALIA
Telephone/Fax Number	Tel: 03 6331 4755 Fax: 03 6334 1065
Emergency Phone Number	0417 744 144
Recommended use of the chemical and restrictions on use	As a deodorant and air freshener in washrooms, toilets and urinals. To destroy moths, silverfish and their larvae in wardrobes, linen chests and drawers.

Section 2 - Hazard(s) Identification

GHS Classification of the Substance/Mixture	Carcinogenicity: Category 2 Eye damage/irritation: Category 2A Hazardous to the Aquatic Environment - Acute Hazard: Category 1 Hazardous to the Aquatic Environment - Long-Term Hazard: Category 1
Signal Word	WARNING
Hazard Statement (s)	H319 Causes serious eye irritation. H351 Suspected of causing cancer. H410 Very toxic to aquatic life with long lasting effects.
Pictogram (s)	Health hazard, Exclamation mark, Environment



Precautionary Statement – Prevention	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P280(f) Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement – Response	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P391 Collect spillage.
Precautionary Statement – Storage	P405 Store locked up.
Precautionary Statement – Disposal	P501 Dispose of contents/container in accordance with local regulations.
Precautionary Statement – General	P102 Keep out of reach of children. P103 Read carefully and follow all instructions.

Section 3 - Composition and Information on Ingredients

Ingredients	Name	CAS	Proportion
	1,4-Dichlorobenzene	106-46-7	99%
	Other ingredients determined not to be hazardous	Not required	to 100%

Section 4 - First Aid Measures

Inhalation	Remove source of contamination or move victim to fresh air. Obtain medical attention immediately.
-------------------	---

Infosafe No™ VAR5C	Issue Date :October 2024	ISSUED by HUNTERST
--------------------	--------------------------	--------------------

Product Name **DEODORANT BUTTONS**

Ingestion	If swallowed, do NOT induce vomiting. Seek immediate medical attention.
Skin	Remove contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with water and non-abrasive soap. If irritation persists, obtain medical attention. Completely decontaminate clothing, shoes and leather goods before re-use or discard.
Eye	Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes, by the clock, holding the eyelid(s) open. If irritation persists, obtain medical attention immediately.
Advice to Doctor	Product is p-dichlorobenzene. Irritating to skin and eyes. Harmful if swallowed in large quantities. Contact Poisons Information Centre.
Other Information	Provide general supportive measures (comfort, warmth, rest). Consult a physician and/or the nearest Poison Control Centre for all exposures except minor instances of inhalation or skin contact.

Section 5 - Firefighting Measures

Specific Hazards Arising from the Chemical	FIRE EXTINGUISHING AGENTS Carbon dioxide, dry chemical, foam FIRE FIGHTING PROCEDURES Water is not generally suitable for fighting fires involving this material. Water spray can be used to absorb heat, keep containers cool, and protect exposed materials. COMBUSTION PRODUCTS Carbon dioxide, carbon monoxide, hydrogen chloride, and phosgene. Firefighters to wear breathing apparatus.
---	--

Section 6 - Accidental Release Measures

Spills & Disposal	PRECAUTIONS Restrict access to area. Provide adequate protective equipment and ventilation. Remove sources of heat and flame. Only trained personnel should perform or supervise cleanup operations. CLEANUP Stop or reduce discharge if it can be done safely. Contain material. Material should be recovered if possible or collected on absorbent material such as sawdust, paper, sand, or clay. Prevent entry into water or sewer systems. Marine pollutant. DISPOSAL Review federal, state and local regulations prior to disposal. May be possible to dispose of in a designated landfill site or burn in an approved incinerator. Dispose of following requirements of state environmental authority. Keep away from heat, naked flame or sparks. Do not flush to drains or sewers. Do not contaminate stream, rivers or water courses. Inform local authority if liquid enters drains, sewers, streams etc.
------------------------------	--

Section 7 - Handling and Storage

Conditions for safe storage, including any incompatibilities	STORAGE CONDITIONS Store in tightly-closed containers in a cool, dry place, separate from normal work area and incompatible materials. Protect containers from damage or breakage. Containers should be covered when not in use and away from naked flames. HANDLING Use in minimal quantities, in designated areas with adequate ventilation. Wear appropriate protective equipment to prevent skin and eye contact.
---	---

Section 8 - Exposure Controls and Personal Protection

Occupational Exposure Limit (OEL) Values	Name	STEL		TWA		Footnote
		mg/m3	ppm	mg/m3	ppm	
	1,4-Dichlorobenzene	661	110	451	75	
Other Exposure Information	(TLV-TWA) 25 ppm (150 mg/m3) SHORT-TERM EXP. LIMIT (TLV-STEL) 50 ppm (300 mg/m3), Worksafe Aust. SAMPLING & ANALYSIS DETECTOR TUBES: Short-term sampling GAS CHROMATOGRAPHY: Continuous monitoring. EXPOSURE CONTROL Note: Exposure to this material can be controlled in many ways. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Use this general information to help develop specific control measures. Ensure that control systems are properly designed and maintained. Comply with occupational, environmental, fire, and other applicable regulations.					
Engineering Controls	ENGINEERING CONTROLS Process enclosure or containment facility is normally required when used in large quantities. Supply sufficient replacement air to make up for air removed by exhaust systems.					

Infosafe No™ VAR5C	Issue Date : October 2024	ISSUED by HUNTERST
--------------------	---------------------------	--------------------

Product Name **DEODORANT BUTTONS**

Personal Protective Equipment	Avoid contact with skin and eyes. Avoid breathing concentrated vapours. Personal protection to be selected from those recommended below, as appropriate to mode of use, quantity handled and degree of hazard:- Normal Use: - Eye/face protection - Gloves, rubber or plastic. Industrial Quantities: - Positive pressure air-hood or full face respirator - Face shield or safety glasses - Gloves, rubber or plastic - Plastic apron, sleeves and boots - Impervious overalls. Always maintain a high level of personal hygiene when using cleaning chemicals. That is wash hands before eating, drinking, smoking or using the toilet.
--------------------------------------	--

Section 9 - Physical and Chemical Properties

Form	Solid
Appearance	Blue crystals or blocks.
Odour	Characteristic odour.
Melting Point	53 deg C (127.4 deg F)
Boiling Point	173.4 deg C (344.1 deg F)
Solubility in Water	Insoluble
Solubility in Organic Solvents	Soluble in ethanol, benzene, ether, chloroform, carbon disulfide, and acetone.
Specific Gravity	(SG) 1.25 (water = 1)
Vapour Pressure	0.4 mm Hg @ 20 deg C
Relative Vapour Density (Air=1)	5.07 (air = 1)
Flash Point	65.6 deg C (150 deg F) (closed cup)
Flammability	Combustible.
Auto-ignition Temperature	412.8 deg C (775 deg F)
Explosion Properties	(LEL) 2.5% - (UEL) 16%
Other Information	Sublimes slowly at normal temperatures, faster as the temperature increases.

Section 10 - Stability and Reactivity

Possibility of Hazardous Reactions	STABILITY Normally stable to heat, light, air, water, acids and bases. INCOMPATIBILITY -MAT'LS TO AVOID Strong oxidizing agents - may increase risk of fire and explosion. HAZARDOUS POLYMERIZATION Does not occur. REACTIVITY COMMENTS Liquid p-dichlorobenzene may attack some forms of plastics (e.g., styrene acrylonitrile, acrylonitrile-butadiene-styrene), rubber and coatings. CORROSIVITY TO METALS Non-corrosive
---	---

Section 11 - Toxicological Information

Toxicology Information	ANIMAL TOXICITY DATA LD50 (oral, rats): 500 mg/kg LD50 (oral, mice): 2,950 mg/kg LD50 (oral, rabbits): 2,812 mg/kg CHRONIC ORAL TOXICITY: Rats fed 376 mg/kg, 5 days per week for a total of 138 doses in 192 days, showed slight signs of toxicity (increase in liver weight and a slight increase in kidney weight). Rats fed 18.8 mg/kg body weight for the same time period showed no effects. Rabbits fed 0.5-1 g/kg body weight per day for 260 days had no abnormalities of the optic nerves or retina of the eyes. INHALATION: Rabbits, rats and guinea pigs exposed to 798 ppm, 5 days per week, 7 hours per day, for up to 69 exposures showed weakness, tremors, weight loss, eye irritation, and some became unconscious. Slight swelling of liver and kidneys occurred in some animals. More detailed information about the effects of chemicals on health
-------------------------------	--

Infosafe No™ VAR5C	Issue Date :October 2024	ISSUED by HUNTERST
Product Name DEODORANT BUTTONS		

Ingestion	can be obtained from Worksafe Australia. Unlikely to occur during occupational exposure.
Inhalation	Moderate exposure may cause severe headache, runny nose, and swelling of the eyes. These effects disappear within 24 hours after exposure has ceased.
Skin	Direct contact with the solid form may cause a burning sensation and slight irritation. Not absorbed through skin.
Eye	Vapour may cause eye irritation
Chronic Effects	HEALTH EFFECTS SKIN: Repeated or prolonged contact with concentrated vapours or solutions of 1,4-dichlorobenzene may cause skin irritation. Allergic reaction may develop and produce red blotching of skin. Prolonged exposure may result in loss of appetite, nausea, vomiting, weight loss, liver damage, lung damage, and yellowing of the skin. CARCINOGENICITY Cat.3 Carcinogen. Possible risk of irreversible effects. TERATOGENICITY AND EMBRYOTOXICITY No data MUTAGENICITY No data POTENTIAL FOR ACCUMULATION Absorbed into the body by inhalation or ingestion. Not absorbed through skin. Eliminated in the urine as dichlorophenol.

Section 12 - Ecological Information

Information on Ecological Effects	May cause long-term adverse effects in the aquatic environment.
Known Harmful Effects on the Environment	Highly toxic to aquatic life.
Other Precautions	Marine Pollutant. CONTAIN. Clean up spill.
Environmental Protection	Avoid contaminating waterways, drains, sewers, or ground.

Section 13 - Disposal Considerations

Waste Disposal	Contain - prevent contamination of drains and waterways. Avoid breathing dust or vapours and contact with skin and eyes. Collect and seal in properly labelled drums for disposal. Wear appropriate protective clothing.
-----------------------	--

Section 14 - Transport Information

Transport Information	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
------------------------------	--

Section 15 - Regulatory Information

Poisons Schedule	S5
Packaging & Labelling	As required by the Standard for the Uniform Scheduling of Drugs and Poisons.
Australia (AICS/AIIC)	All components listed.

Section 16 - Any Other Relevant Information

Date of Preparation	27/10/2024
Literature References	Preparation of Safety Data Sheets for hazardous Chemicals Code of Practice Standard for the Uniform Scheduling of Medicines and Poisons Australian Code for the Transport of Dangerous Goods by Road & Rail Globally Harmonised System of classification and labelling of chemicals GHS7
Signature of Preparer/Data Service	Technical Manager 0417 744 144
Technical Contact Numbers	Emergency Advice All Hours: Technical Manager: 0417 744 144 Mon-Fri 8am - 6pm Poisons Information Centre: 13 11 26 - 24hrs Transport/Fire Emergency: 000 (Emergency services)
Other Information	This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how

Infosafe No™ VAR5C

Issue Date :October 2024

ISSUED by HUNTERST

Product Name **DEODORANT BUTTONS**

to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this SDS carefully, and if in doubt ring the Contact Point Number given below.
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.