

InfoSafe No™ VAR7X

Issue Date : October 2024

ISSUED by HUNTERST

Product Name **GLISSON**

## Section 1 - Identification

<b>Product Identifier</b>	GLISSON
<b>Company Name</b>	Hunters Products (TAS) Pty. Ltd. (ABN 004 601 263)
<b>Address</b>	60 Gleadow Street INVERMAY TAS 7248 AUSTRALIA
<b>Telephone/Fax Number</b>	Tel: 03 6331 4755 Fax: 03 6334 1065
<b>Emergency Phone Number</b>	0417 744 144
<b>Recommended use of the chemical and restrictions on use</b>	As a detergent in automatic dishwashing machines. Use as directed on the product label.

## Section 2 - Hazard(s) Identification

<b>GHS Classification of the Substance/Mixture</b>	Acute toxicity: Category 4 - Oral Skin corrosion/irritation: Category 1B
<b>Signal Word</b>	DANGER
<b>Hazard Statement (s)</b>	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage.
<b>Pictogram (s)</b>	 

<b>Precautionary Statement – Prevention</b>	P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280(f) Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement – Response</b>	P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse. P405 Store locked up.
<b>Precautionary Statement – Storage</b>	P501 Dispose of contents/container in accordance with local regulations.
<b>Precautionary Statement – Disposal</b>	P102 Keep out of reach of children. P103 Read carefully and follow all instructions.
<b>Precautionary Statement – General</b>	

## Section 3 - Composition and Information on Ingredients

Ingredients	Name	CAS	Proportion
	Potassium hydroxide	1310-58-3	30-60 %
	Alkaline Salts		<10%
	Ingredients determined not to be hazardous, including water.		to 100%

InfoSafe No™ VAR7X

Issue Date : October 2024

ISSUED by HUNTERST

Product Name **GLISSON**

## Section 4 - First Aid Measures

<b>Inhalation</b>	Remove from exposure. If aspirated into the lungs, obtain immediate medical attention.
<b>Ingestion</b>	Immediately rinse mouth with water. Do NOT induce vomiting. Give a glass of water to be taken slowly. Seek immediate medical attention.
<b>Skin</b>	Remove all contaminated clothing and immediately wash affected area with plenty of water. If swelling, redness, blistering or irritation occurs, seek medical advice.
<b>Eye</b>	Hold eyes open and flood with running water for at least 15 minutes, bathe eyes with soothing eyedrops or sterile saline, urgently seek medical attention. Transport to hospital or medical centre.
<b>First Aid Facilities</b>	Eye wash station and normal washroom facilities.
<b>Advice to Doctor</b>	Product is a mixture containing >30% of potassium hydroxide. Corrosive by all routes. Risk of serious eye damage. If swallowed, may cause holes in stomach and intestines; gastric lavage may be contraindicated. Contact Poisons Information Centre.

## Section 5 - Firefighting Measures

<b>Suitable Extinguishing Media</b>	Use extinguishing media appropriate to surrounding fire.
<b>Hazards from Combustion Products</b>	Water vapour, carbon dioxide, oxides of nitrogen. Incomplete combustion may generate carbon monoxide.
<b>Specific Methods</b>	In case of small fire/explosion use water. In case of major emergency use PPE: breathing apparatus and protective gloves.
<b>Specific Hazards Arising from the Chemical</b>	Not flammable. Contact with aluminium, tin, zinc or galvanised iron may generate hydrogen, a flammable gas. Will react vigorously or violently with acids, generating much heat, and giving off carbon dioxide, a simple asphyxiant. Contact with ammonium compounds will generate ammonia, a poisonous gas.
<b>Hazchem Code</b>	2R

## Section 6 - Accidental Release Measures

<b>Emergency Procedures</b>	Contain.
<b>Spills &amp; Disposal</b>	For large spills: Contain spillages with sand or earth. Transfer both liquid and solids to suitable container(s). Treat residues as for small spills. For small spills: If local regulations permit, mop up with plenty of water and run to waste, diluting greatly with running water. Otherwise, absorb on inert absorbent and transfer to suitable container. Wash site of spillage thoroughly with water and detergent. Ventilate area to dispel any residual vapours.

## Section 7 - Handling and Storage

<b>Conditions for safe storage, including any incompatibilities</b>	Store in cool place in original container. Store away from oxidisers, acids and foodstuffs. Keep containers closed when not in use. Store out of reach of children. Large quantities should be stored in a bunded area. Do not mix with other chemicals. Clean up all spills and splashes promptly; avoid secondary accidents.
<b>Unsuitable Materials</b>	Incompatibles: Acids, active metals (such as aluminium, tin, zinc), ammonium compounds, combustible materials, nitro compounds, organic halogen compounds.

## Section 8 - Exposure Controls and Personal Protection

<b>Occupational Exposure Limit (OEL) Values</b>	<b>Name</b>	<b>STEL</b>	<b>TWA</b>	<b>Footnote</b>
		<u>mg/m<sup>3</sup></u>	<u>ppm</u>	<u>mg/m<sup>3</sup></u>

InfoSafe No™ VAR7X

Issue Date : October 2024

ISSUED by HUNTERST

Product Name **GLISSON**

Occupational Exposure Limit (OEL) Values	<u>Name</u>	STEL		TWA		<u>Footnote</u>
		<u>mg/m3</u>	<u>ppm</u>	<u>mg/m3</u>	<u>ppm</u>	
	Potassium hydroxide			2		Peak limitation
<b>Engineering Controls</b>	In very confined spaces have sufficient ventilation. Do not atomise the product. Do not enter confined spaces where vapours may have accumulated. Keep containers closed when not in use. Do not decant in unlabelled bottles. Avoid using aluminium, tin, zinc, galvanised iron, wood or wood products as materials of construction.					
<b>Personal Protective Equipment</b>	Avoid contact with skin and eyes. Avoid breathing aerosols. Personal protection to be selected from those recommended below, as appropriate to mode of use, quantity handled and degree of hazard:-  Normal Use: Eye/face protection Gloves, rubber or plastic.  Industrial Quantities: Face shield or safety glasses Gloves, rubber or plastic Plastic apron, sleeves and boots Impervious overalls.  Always maintain a high level of personal hygiene when using cleaning chemicals. That is wash hands before eating, drinking, smoking or using the toilet.					

## Section 9 - Physical and Chemical Properties

<b>Form</b>	Liquid
<b>Appearance</b>	Clear, colourless liquid.
<b>Odour</b>	Odourless.
<b>Boiling Point</b>	approx. 100C
<b>Solubility in Water</b>	Miscible with water in all proportions.
<b>Specific Gravity</b>	1.3
<b>pH</b>	>13
<b>Flash Point</b>	None
<b>Flammability</b>	Not flammable.
<b>Other Information</b>	Very alkaline mixture. Will react vigorously or violently with acids or acidic compounds. Corrodes active metals, such as aluminium, tin or zinc, generating hydrogen, a flammable gas. Contact with ammonium compounds may generate ammonia, a toxic gas. Will absorb carbon dioxide from the air, forming carbonates. May react with organic halogen compounds, especially trichloroethylene. May form shock-sensitive salts with nitro compounds. Will attack wood and wood products. May attack glass on prolonged contact. Slippery when spilled.

## Section 10 - Stability and Reactivity

<b>Chemical Stability</b>	Stable under normal use conditions.
<b>Possibility of Hazardous Reactions</b>	Hydrogen gas is generated when undiluted material contacts aluminium, zinc or tin. May react violently with acids. May generate ammonia from ammonium compounds. May react violently with organic halides. May form shock-sensitive salts with nitro compounds.
<b>Conditions to Avoid</b>	Incompatible materials, prolonged exposure to air.
<b>Incompatible Materials</b>	Acids and acidic compounds, active metals, ammonium compounds, glass, nitro compounds, organic halides, wood and paper products.

InfoSafe No™ VAR7X

Issue Date : October 2024

ISSUED by HUNTERST

Product Name **GLISSON**

**Hazardous Decomposition Products** Oxides of nitrogen.

## Section 11 - Toxicological Information

**Acute Toxicity - Oral** LD50 Potassium Hydroxide: 273mg/kg oral, rabbit

**Ingestion** Corrosive. May cause serious burns to the mouth, throat and gastrointestinal system. May cause a burning pain in the throat and epigastrium, nausea, vomiting, abdominal pains and diarrhoea (occasionally bloody), fall in blood pressure, death. May cause burns and perforation of the stomach and intestines, and the sites of subsequent scarring have been associated with the development of stomach cancer.

**Inhalation** An unlikely route owing to the low volatility of ingredients. Inhalation of aerosols may cause serious lung damage, and pulmonary oedema (fluid build-up in the lungs). Onset of symptoms may be delayed.

**Skin** Corrosive to skin - may cause skin burns. Skin contact often does not cause pain, thus care should be taken to avoid contamination of gloves and footwear. Repeated or prolonged contact may lead to irritant contact dermatitis. Mists or aerosols may cause small burns.

**Eye** Corrosive. Risk of serious eye damage, and permanent impairment of sight. May cause redness, pain and blurred vision. Liquid splashes into the eye may rapidly cause severe tissue damage and deep burns.

**Chronic Effects** Long term, low level exposure can lead to irritation of skin, lungs, nose, throat and mouth.

## Section 12 - Ecological Information

**Ecotoxicity** Harmful to aquatic organisms.

**Persistence and Degradability** No data.

**Mobility** Readily transported by water.

**Environmental Protection** Avoid contaminating waterways, drains, sewers, or ground.

## Section 13 - Disposal Considerations

**Waste Disposal** Land fill, incineration, sewer (small quantities). Refer to Land Waste Management Authority in your State.

**Product Disposal** Avoid disposal to natural waters or the environment.

**Container Disposal and Methods** Do not use containers of aluminium, tin, zinc, galvanised iron, or glass.

**Special Precautions for Incineration or Landfill** Unsuitable for incineration. May be unsuitable for some landfill sites.

## Section 14 - Transport Information

**Transport Information** Classified as a Class 8 Dangerous Good. Dangerous Goods of Class 8 Corrosives are incompatible in a placard load with any of the following: - Class 1, Class 4.3, Class 5, Class 6, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids and Class 7. Store away from acids.

**ADG UN Number** 1814

**ADG Proper Shipping Name** POTASSIUM HYDROXIDE SOLUTION

**ADG Transport Hazard Class** 8

**ADG Packing Group** II

**Hazchem Code** 2R

**EPG Number** 8A1

InfoSafe No™ VAR7X

Issue Date : October 2024

ISSUED by HUNTERST

Product Name **GLISSON**

**IERG Number** 37

## Section 15 - Regulatory Information

**Poisons Schedule** S6

**Australia (AICS/AIIC)** All components listed.

## Section 16 - Any Other Relevant Information

**Date of Preparation** 28/10/2024

**Literature References** Preparation of Safety Data Sheets for hazardous Chemicals Code of Practice Standard for the Uniform Scheduling of Medicines and Poisons Australian Code for the Transport of Dangerous Goods by Road & Rail Globally Harmonised System of classification and labelling of chemicals GHS7

**Signature of Preparer/Data Service** Technical Manager 0417 744 144

**Technical Contact Numbers** Emergency Advice All Hours:  
Technical Manager: 0417 744 144 Mon-Fri 8am - 6pm  
Poisons Information Centre: 13 11 26 - 24hrs  
Transport/Fire Emergency: 000 (Emergency services)

**Other Information** This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this SDS carefully, and if in doubt ring the Contact Point Number given below.  
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an InfoSafe system for InfoSafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each InfoSafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.  
The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.