



Section 1: Identification of the Material and Supplier

Product Name: J. D. Super

Other Names: Deodorant solution.

Proper shipping name (ADG Code): None assigned.

Recommended use: As a deodorant. Use as directed on the product label.

Supplier: Hunters Products (TAS) Pty. Ltd.,
A.C.N. 004 601 263

HEAD OFFICE

60 Gleadow Street,
INVERMAY TAS 7248
Tel: 03 6331 4755
Fax: 03 6334 1065

HOBART OFFICE

105 Albert Road,
MOONAH TAS 7009
Tel: 03 6228 7955
Fax: 03 6228 7988

BURNIE OFFICE

22 Pearl Street,
WIVENHOE TAS 7320
Tel: 03 6431 9627
Fax: 03 6432 2083

Emergency Phone Numbers:

Transport/Fire Emergency:	000	(Emergency services)
Medical Emergency:	131126	(Poisons Information Centre)

Section 2: Hazards Identification

Not classified as hazardous according to criteria of Worksafe Australia.

Non-dangerous goods.

Risk Phrases: None.

Safety Phrases: None.

Section 3: Composition/Information on Ingredients

Ingredients:

Ethanol	[64-17-5]	< 10 %
Surfactant		< 10 %
Quaternary ammonium compound		< 10 %
Other ingredients deemed not to be hazardous		< 10 %
Water	[7732-18-5]	to 100 %

Section 4: First Aid Measures

For advice, contact a Poisons Information Centre (Phone 131126) or a doctor.

Swallowed: If swallowed, do NOT induce vomiting.

Skin: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Eyes: If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.

Inhaled: Remove from exposure, rest and keep warm. Seek medical advice.

First Aid facilities:

Recommended: Eye wash. Hand wash basin.

Advice to Doctor:

Product is a dilute aqueous solution containing low proportions of a quaternary ammonium compound and a surfactant. May be irritating to eyes. If swallowed, vomiting should not have been induced because of risk of aspiration of froth into the lungs. Contact Poisons Information Centre.

Aggravated medical conditions:

No data found.

Section 5: Fire Fighting Measures

HAZCHEM Code: None assigned.

Evacuate: No.

Extinguishant: Water.

Risk of violent reaction or explosion: No.

Products of combustion: Water vapour, oxides of carbon, oxides of nitrogen, hydrogen chloride.

Protective Equipment: Breathing apparatus and protective gloves for fire only.

Section 6: Accidental Release Measures

Emergency Procedures:

Contain.

For large spills:

Contain spillages with sand or earth. Transfer both liquid and solids to suitable container(s). Treat residues as for small spills.

For small spills:

If local regulations permit, mop up with plenty of water and run to waste, diluting greatly with running water. Otherwise, absorb on inert absorbent and transfer to suitable container. Wash site of spillage thoroughly with water and detergent.

Section 7: Handling and Storage

Precautions for safe handling:

Avoid contact with skin and eyes. Avoid breathing aerosols. Keep away from naked flames and other sources of ignition.

Conditions for safe storage:

Store in a cool, well ventilated place, out of reach of children. Large quantities should be stored in a bunded area. Store in original container. Keep container tightly closed and out of direct sunlight. Prevent vapours from collecting in enclosed or low lying spaces. Keep away from oxidising agents. Protect from physical damage. Clean up all spills and splashes promptly; avoid secondary accidents.

Incompatibles:

Oxidising agents.

Section 8: Exposure Controls/Personal Protection

National Exposure Standards:

ES-TWA:	Ethanol	1,000 ppm, 1,880 mg/m ³	
ES-STEL:		None assigned by NOHSC, but see:	
	Ethanol	1,250 ppm, 2,400 mg/m ³	[Finland]
ES-PEAK:		None assigned.	
Notations:		None.	

Biological Limit Values: No data found.

Engineering Controls:

Ensure adequate ventilation (same as outdoors) when using. If handling industrial quantities, or if vapour/aerosol risk exists, consider local mechanical exhaust/extraction to keep airborne contamination as low as possible and at least below the TLV.

Personal Protective Equipment:

Avoid contact with skin and eyes. Avoid breathing concentrated vapours or aerosols. Personal protection to be selected from those recommended below, as appropriate to mode of use, quantity handled and degree of hazard:-

Normal Use:

Eye/face protection
Gloves, rubber or plastic.

Industrial Quantities:

Face shield or safety glasses
Gloves, rubber or plastic
Plastic apron, sleeves and boots
Impervious overalls.

Section 9: Physical and Chemical Properties

Appearance:	Clear, almost colourless, mobile, frothing liquid.
Odour:	Perfumed.
pH:	About neutral.
Vapour Pressure:	No data.
Vapour Density:	No data.
Boiling Point:	From just below 100 °C
Melting Point:	No data.
Volatiles:	> 90 %
Volatile Organic Compounds (VOC):	10 %
Evaporation Rate:	No data.
Solubilities:	Miscible with water in all proportions.
Specific Gravity/Density:	About 1 g/mL @ 20 °C
Flash Point:	May exhibit a momentary flash from about 50 °C but will not burn. [ethanol]
Flammable Limits:	3.3 - 19.0 % [ethanol]
Dust Explosion:	Not applicable.
Auto-ignition Temperature:	363 °C [ethanol]

Other Information:

May react with strong oxidising agents. Slippery when spilled.

Section 10: Stability and Reactivity

Chemical Stability:	Stable under normal conditions.
Conditions to Avoid:	Incompatible materials.
Incompatible Materials:	Oxidising agents.
Hazardous Decomposition Products:	Oxides of carbon.
Hazardous Reactions:	None known.

Section 11: Toxicological Information

Health Effects:

No data available for the mixture. Information presented relates to individual ingredients.

Acute:	Swallowed:	Likely to cause gastric upset, nausea, vomiting and diarrhoea. Bitter taste. Ingestion of moderate quantities may lead to symptoms of ethanol intoxication. An aspiration risk.
	Skin:	May cause mild irritation on prolonged contact. Will have a degreasing effect on the skin.
	Eyes:	May be irritating to eyes. May cause redness, itching and pain.
	Inhaled:	Aerosols or concentrated vapours may be irritating to the upper respiratory system. Ethanol vapours may cause central nervous system depression and symptoms of intoxication. Aspiration of froth into the lungs during swallowing or vomiting may cause chemical pneumonitis (irritation of lung tissues) and possible pulmonary oedema (fluid build-up in the lungs). Onset of symptoms may be delayed.
Chronic:		Repeated skin contact may lead to irritation, dry skin and dermatitic effects.
LD₅₀:	Ethanol	7,060 mg/kg oral, rat. 3,450 mg/kg oral, mouse.
	Surfactant	2 - 3,000 mg/kg oral, rat.
	Quaternary ammonium compound	240 mg/kg oral, rat.
LC₅₀:	Ethanol	20,000 ppm/10 hours, rat.
LDLo:	Ethanol	1,400 mg/kg oral, human. 2,000 mg/kg oral, child.
TDLo:	Ethanol	700 mg/kg oral, man.

Section 12: Ecological Information

Ecotoxicity:	May be harmful to aquatic organisms.
Persistence and degradability:	The surfactant used in this product is not considered to be readily biodegradable.

Mobility: Readily transported by water.

Environmental Fate: No data.

Bioaccumulative potential: No data.

Other adverse environmental effects: Contains a surfactant. May be harmful to aquatic organisms, including fish.

Section 13: Disposal Considerations

The generator of any wastes from this product is responsible for its proper classification, transport and disposal.

Consult appropriate local and State regulations.

Disposal methods and containers:
Avoid disposal to natural waters.

Special precautions for landfill or incineration:
Unsuitable for incineration.
May be unsuitable for some landfill sites.

Section 14: Transport Information

UN Number: None assigned.

UN Proper shipping name: None assigned.

Class and subsidiary risk: None assigned.

Packaging group: None assigned.

Special precautions for user: Contain spillages.

HAZCHEM Code: None assigned.

Material for export: Not regulated.

Section 15: Regulatory Information

Poisons (SUSDP): Not a scheduled poison.

Dangerous Goods: No.

Carcinogen:	Australia	IARC	NTP	RTECS
	No.	No.	No.	No.

Agricultural and Veterinary Chemicals Act: Not applicable.

Australian Inventory of Chemical Substances (AICS): Listed.

Other National/International Regulations: No data.

Section 16: Other information

Date of MSDS update: August 2007
Complete review and re-write of all sections.

Abbreviations:

NOHSC - National Occupational Health and Safety Commission.
ACGIH - American Conference of Governmental Industrial Hygienists.
MAK - Maximum workplace concentration - Germany,
(*maximale Arbeitsplatzkonzentration*)
IARC - International Agency for Research on Cancer (France).
NPT - National Toxicology Program (USA).
RTECS - Registry of Toxic Effects of Chemical Substances.

Literature references:

Other Available Sources of Data:

National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [2011(2003)] - NOHSC.
Australian Dangerous Goods Code.
Standard for the Uniform Scheduling of Drugs and Poisons - AHMAC.
Exposure Standards for Atmospheric Contaminants in the Occupational Environment [1003]- NOHSC.
List of Designated Hazardous Substances [10005] - NOHSC.
Merck Index - Merck Inc.
Sax's Dangerous Properties of Industrial Materials - Lewis.
Handbook of Toxic and Hazardous Chemicals and Carcinogens - Sittig.
Handbook of Reactive Chemical Hazards - Bretherick.
Hawley's Condensed Chemical Dictionary - Wiley Interscience.
AUSREG's Chemical Data Package for PCs - AUSREG Consultancy.